

The Gazette



सत्यमेव जयते

of India

No. 27]

NEW DELHI, SATURDAY, JULY 28, 1956

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 23rd June, 1956

	CHOLERA		SMALLPOX		PLAGUE			CHOLERA		SMALLPOX		PLAGUE	
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.
STATES PART (A) & PART (C)								Assam					
Ajmer								TOTAL . . .					
TOTAL	(Estd. mid-year pop. 9,817 thousands).
(Estd. Mid-year pop. 752 thousands).							Total for w/e 16-6-56	24	11
Total for w/e 16-6-56.	Total for w/e 9-6-56	12	8	..	1
Total for w/e 9-6-56.	7-yearly mean for the week . . .	3	2	2	1
7-yearly mean for the week	Bhopal						
Andhra								TOTAL . . .					
Srikakulam . . .	1	1	(Estd. mid-year pop. 867 thousands).	13	9
Visakhapatnam	23	8	Total for w/e 16-6-56	19
Godavari East	43	15	Total for w/e 9-6-56	11	15
Godavari West	32	9	7-yearly mean for the week
Krishna . . .	1	..	12	5	Bihar						
Guntur	58	12	Patna . . .	89	19	1	1
Nellore	9	2	Gaya . . .	52	28	21	6
Kurnool	33	4	Shahabad . . .	1	..	8	2
Cuddapah	1	Muzaffarpur . . .	14	6
Anantapur	16	2	Darbhanga . . .	7	..	2
TOTAL . . .	2	1	227	57	Santal Pargana . . .	2	2
(Estd. mid-year pop. 21,238 thousands).							Hazaribagh . . .	2	..	2
Total for w/e 16-6-56.	270	53	Manbhum . . .	1	..	1
Total for w/e 9-6-56	168	39	Palamau . . .	4	1
7-yearly mean for the week . . .	172	84	154	38	TOTAL	172	56	35	9

Explanation of Symbols used :—C.=Cases; D.=Deaths; ..=Nil; "N.R."=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 23rd June, 1956—*contd.*

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
—	C.	D.	C.	D.	C.	D.	—	C.	D.	C.	L.	C.	L.
Bihaar—<i>contd.</i>							Delhi—<i>contd.</i>						
Estd. mid-year pop. 42,198 thousands.)							(Census pop. 1,744 thousands).						
Total for w/e 16-6-56	77	36	22	6	—	..	Total for w/e 16-6-56	4	I
Total for w/e 9-6-56	94	43	32	6	—	—	Total for w/e 9-6-56	7	I
7-yearly mean for the week	97	36	65	12	7-yearly mean for the week	3	I
Bombay							Himachal Pradesh						
Greater Bombay	9	I	..	"N. R."						
Ahmedabad	2	2	..	Madhya Pradesh						
Kaira	2	Nagpur	4
Panch Mahals	I	Wardha	I	I
Ahmednagar	4	—	..	Chanda	3	I	18	3
East Khandesh	2	I	..	Chhindwara	6
West Khandesh	2	I	..	Betul	I
Satara North	I	I	..	Bhandara
Sholapur	3	Sagar
Bijapur	I	Mandla]	5	I	..
Mehsana	14	2	..	Balaghat	84	17	..
Banaskantha	5	Raipur	100	63	29	16
TOTAL	44	10	Bilaspur	260	137	2	I
(Estd. mid-year pop. 39,569 thousands).							Durg	5	2
Total for w/e 16-6-56	70	6	Yeotmal	13	3
Total for w/e 9-6-56	57	14	Akola	36	3
7-yearly mean for the week	97	25	132	26	Buldana	4	I
Coorg							TOTAL	364	201	228	52
TOTAL	(Estd. mid-year pop. 22,109 thousands)						
(Estd. mid-year pop. 262 thousands).							Total for w/e 16-6-56	313	165	249	50
Total for w/e 16-6-56	—	Total for w/e 9-6-56	249	128	118	8
Total for w/e 9-6-56	7-yearly mean for the week	101	59	147	21
7-yearly mean for the week	3	Madras						
Delhi							Madras	7	I	..
Delhi City	I	—	..	North Arcot	5	3	..
Delhi Notified Area	I	Salem	I	I	..
TOTAL	1	I	South Arcot	5

Explanation of Symbols used : C=Cases; D=Deaths; ..=Null; "N.R."=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 23rd June, 1956—*contd.*

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
Madras—contd.							Pondicherry						
Tiruchirappalli	7	4	TOTAL	79	68
Tirunelveli	4	3	Tripura						
Malabar	19	8	TOTAL	..	3	3
TOTAL	48	20	Uttar Pradesh						
(Estd. mid-year pop. 38,273 thousands.)							Estd. mid-year pop. 706 thousands.)						
Total for w/e 16-6-56	57	18	Total for w/e 16-6-56
Total for w/e 9-6-56	41	10	Total for w/e 9-6-56
7-yearly mean for the week	62	25	58	15	Uttar Pradesh						
Manipur							Allahabad	1
TOTAL	Banaras	2	2
(Estd. mid-year pop. 613 thousands.)							Budaun	..	6	5
Total for w/e 16-6-56	Kanpur	1
Total for w/e 9-6-56	Deoria	..	2	1
Orissa							Etawah	6	2
Cuttack	..	22	15	Faizabad	3
Puri	..	53	23	Ghazipur	3	1
Sambalpur	Garhwal	2
Ganjam	..	4	6	Hardoi	3	6
Dhankanal	4	1	Jhansi	3	1
Kalahandi	10	Jaunpur	..	1	1	12	6	..
TOTAL	..	79	44	20	1	..	Kheri	..	15	7	2	1	..
(Estd. mid-year pop. 15,114 thousands.)							Lucknow	2	1
Total for w/e 16-6-56	111	59	42	3	Muzaffarnagar	2
Total for w/e 9-6-56	190	90	32	2	Rae Bareilly	..	16	7	9	4	..
7-yearly mean for the week	85	47	128	19	TOTAL	..	40	21	49	26	..
Punjab (Df)							(Estd. mid-year pop. 66,780 thousands.)						
Rohtak	1	Total for w/e 16-6-56	65	31	77	32
Jullundur	3	Total for w/e 9-6-56	71	36	41	20
TOTAL	4	7-yearly mean for the week	99	48	95	45
(Census pop. 12,641 thousands.)							Vindhya Pradesh						
Total for w/e 16-6-56	4	N.R.						
Total for w/e 9-6-56	3	West Bengal						
7-yearly mean for the week	19	7	Burdwan	..	15	9	5
Explanation of symbols used							Birbhum	..	9	5
C=Cases; D=Deaths; ..=Nil; "N.R."=Information not received.							Bankura	..	17	6
							Midnapur	..	1	..	1	1	..

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 23rd June, 1956—*contd.*

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAQUE							PLAQUE						
—	C.	D.	C.	D.	C.	D.	—	C.	D.	C.	D.	C.	D.
West Bengal—<i>contd.</i>							Rajasthan						
Hooghly	6	2	3	1	"N. R."						
Howrah	37	15	4	3	Saurashtra						
24-Parganas	85	35	..	1	Gohilwad	4
Calcutta	80	36	11	11	Halar	3
Nadia	1	1	TOTAL	7
Murshidabad	6	2	5	3	Travancore-Cochin						
Malda	9	TOTAL	2	3
West Dinajpur	1	Grand Total for States	20	5
Jalpaiguri	1	Part (B)
TOTAL	257	111	38	22	Grand Total for States	917	437	806	280
(Estd. mid-year pop. 26,396 thousands.)													
Total for w/e 16-6-56	364	148	101	32	ARREAR INFORMATION						
Total for w/e 9-6-56	547	223	52	14	Madhya Pradesh						
7-yearly mean for the week	382	160	60	19	w/e 16-6-56						
Grand Total for States Parts (A) & (C) (excluding Himachal Pradesh and Vindhya Pradesh)	917	437	786	275	Nagpur	8
Corresponding (Estd. mid-year pop. 299,079 thousands.)													
Corresponding Total for w/e 16-6-56	954	450	975	261	Chanda	26	3
Corresponding Total for w/e 9-6-56	1163	528	628	175	Sagar	1
Corresponding 7-yearly mean for the week	1098	486	866	204	Hoshangbad	5	2
STATES PART (B)							Raipur	..	147	81	..	1	..
Hyderabad							Bilaspur	..	135	78	3	1	..
"N. R."							Durg	..	7	2	8	2	..
Jammu and Kashmir							Bhandara	20	2	..
"N. R."							Balaghat	81	17	..
Madhya Bharat							Yeotmal	28	15	..
"N. R."							Akola	29	5	..
Mysore							Buldana	39	2	..
Bellary	1	Surguja	..	24	4	1
Kolar	10	2	TOTAL	313	165	249	50
TOTAL	11	2	Rajasthan						
Patiala and East Punjab States Union							w/e 9-6-56						
TOTAL	TOTAL	33	7

Explanation of symbols used: C.—Cases; D.—Deaths; ..—Nil; "N. R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 23rd June, 1956—*contd.*

CHOLERA						CHOLERA					
SMALLPOX						SMALLPOX					
PLAGUE						PLAGUE					
—	C.	D.	C.	D.	C.	D.	—	C.	D.	C.	D.
Bihar						Himachal Pradesh					
<i>w/e 16-6-56</i>						<i>w/e 16-6-56</i>					
Patna	20	8	1	TOTAL	1
Gaya	28	14	6	2
Shahbad	2	1
Muzaffarpur	7	4
Darbhanga	4	2
Monghyr	7	1	9	2
Hazaribagh	9	6	5	1
Manbhum	1	1
TOTAL	77	36	22	6	4

Explanation of symbols used: C. = Cases; D. = Deaths; .. = Nil.

NEW DELHI-2 (INDIA);

The 16th July 1956

K. MITRA,

for Registrar General, India.

Prosper with the **NATION**

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.14 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.	Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 23rd June, 1956

Deaths from :—

Town	Mid.-year Popn.-Est. (000)		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
STATES—(Parts A and B)														
Ajmer														
Ajmer	223	83	19.4	4	..	4	24	5.6	3
Beawar	59	19	16.7	3	..	1	..	1	5	4.4	3
TOTAL	282	102	18.8	7	..	5	..	1	29	5.3	6
Andhra														
Adoni†														
Anantpur†														
Anakapalli	49	21	23.7	1	2	1	..	1	19	21.5	3
Bhimavaram	36	12	17.3	1	4	5.8	..
Chirala	43	17	20.6	..	1	..	1	..	3	8	9.7	1
Chittoor	45	27	31.2	2	1	3	13	15.0	5
Cuddapah	42	39	48.3	1	8	9.9	5
Eluru	99	40	21.0	..	8	..	8	..	4	1	..	34	17.9	6
Gudivada	36	16	23.1	6	..	2	14	20.2	5
Guntur	147	122	43.2	..	3	..	5	3	4	..	2	47	16.6	13
Guntakal †														
Kakinada	113	37	17.0	12	23	10.6	..
Kurnool	68	61	46.7	..	1	..	3	..	2	1	..	24	18.4	5
Masulipatnam	88	26	15.4	1	2	6	3.6	..
Nandyal	37	26	36.5	..	5	..	4	1	1	20	28.1	..
Nellore	95	97	53.0	4	3	2	1	..	35	19.1	12
Proddatur†														
Rajahmundry	122	88	53.2	12	1	2	37	15.8	6
Tenali	67	46	36.7	3	..	2	14	10.9	5
Vijayvada	201	139	50.3	..	1	..	9	5	6	55	14.2	19
Visakhapatnam	128	49	19.9	..	6	..	11	1	9	47	19.1	14
Vizianagaram	75	45	31.2	4	2	1	28	19.4	7
TOTAL	1,488	908	31.7	..	25	..	86	21	44	6	6	436	15.2	106
Assam														
N.R.														
Bhopal														
Bhopal	116	103	46.2	3	..	4	14	6.3	..
Bihar														
"N.R."														
Bombay														
Ahmedabad	889	555	35.5	..	2	..	14	7	67	239	14.0	64
Ahmednagar	88	65	38.4	1	1	5	19	11.2	1
Amalner	50	40	41.6	8	..	2	14	14.6	4
Bagalkot	36	30	43.3	3	8	11.6	2
Baroda	242	178	38.2	15	3	20	1	..	74	15.9	20
Barli	46	36	40.7	9	17	19.2	6
Belgaum	110	143	67.6	1	1	9	46	21.7	11
Bhusawal	62	30	25.2	3	..	1	11	9.2	1
Bijapur	75	86	59.6	4	2	1	15	10.4	..
Broach	67	53	41.1	3	..	2	11	8.6	3
Cambay	41	33	41.9	1	..	1	9	11.4	2
Chalisgaon	35	18	26.7	4	2	..	2	..	11	16.3	2
Dharwar	76	67	45.8	1	11	7.5	..
Dhulia	89	49	28.6	6	..	1	11	6.4	5
Gadag-Betegeri	71	51	37.3	12	1	3	1	..	27	19.8	..
Godra	40	37	48.1	9	12	15.6	4
Greater Bombay	3,449	1,661	25.0	..	1	..	7	41	83	2	..	583	8.8	168
Hubli	148	100	35.1	2	..	6	31	10.9	3

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; N.R.—Information not received.

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 23rd June, 1956—contd.

Town	Mid year Popn. Est. (000)		Deaths from 1—									Total	D.R.*	I.D.
			B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.			
Bombay—contd.														
Jalgaon	79	23	15.1	9	..	3	..	18	11.8	6	
Kalyan	173	30	21.4	2	1	7	5.0	..	
Kolhapur	159	121	39.6	2	5	8	..	30	9.8	5	
Malegaon†														
Miraj	44	22	26.0	1	1	3	..	9	10.6	2	
Nadiad	71	47	34.4	13	2	26	19.0	12	
Nandurbar	35	15	22.3	1	..	1	..	8	11.9	3	
Nasik	119	96	41.9	7	1	7	1	29	12.7	10	
Nayasari	50	16	16.6	6	13	13.5	2	
Pandharpur	44	26	30.7	5	1	2	..	14	16.5	4	
Patan	47	39	43.2	1	1	4	..	11	12.2	3	
Poonat†														
Sangli	58	26	23.3	2	1	1	..	12	10.7	2	
Satara†														
Sholapur	299	200	34.8	16	2	30	..	94	16.3	27	
Surat	250	155	32.2	14	11	18	2	144	30.0	48	
Thana	61	20	17.0	1	8	6.8	1	
TOTAL	7,003	4,068	30.2	..	3	..	182	82	278	11	1,572	11.7	421	
Delhi State														
Delhi City	1,124	502	23.2	124	17	34	..	248	11.5	98	
New Delhi	374	211	29.3	10	7	..	119	16.5	35	
N.A.C. Civil Station, Delhi	117	96	42.7	..	1	..	4	4	6	..	25	11.1	10	
Delhi Cantt.	50	25	26.0	1	..	1	..	5	5.2	2	
Delhi Shahdara	53	39	38.3	9	11	10.	2	
TOTAL	1,718	873	26.4	..	10	..	138	31	48	..	408	12.3	147	
Madhya Pradesh														
Achalpur	58	29	39.7	5	1	13	17.8	8	
Akola	104	64	32.0	5	6	29	14.5	10	
Amravati	101	72	37.1	8	..	3	1	21	10.8	9	
Bilaspur	40	14	18.2	5	1	1	..	12	15.6	5	
Burhanpur	79	62	40.8	10	..	2	..	25	16.4	..	
Chanda	43	30	36.3	6	1	10	12.1	2	
Chindwarat†														
Damoh†														
Gondia	45	37	42.8	4	1	12	13.8	1	
Hingaghat†														
Jabalpur†														
Khandwa	59	27	23.8	2	1	11	9.7	..	
Khangaon†														
Kamptee	36	17	24.6	1	7	10.1	..	
Murwarat†														
Itarsi†														
Nagpur	528	153	15.1	..	5	..	31	2	9	3	79	7.8	1	
Sagar	75	26	18.0	4	..	1	..	10	6.9	..	
Raipur†														
Raigarh†														
Wardhat†														
Yeotmal	41	32	40.5	1	..	1	..	13	16.5	5	
TOTAL	1,189	563	24.6	..	5	..	82	12	17	5	242	10.6	41	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R. D.—Respiratory Diseases; M. D.—Maternal Deaths; D. R.—Death Rates; I. D.—Infantile Deaths (included in total deaths); ..—Nil information; N.R.—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 23rd June, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from :—										D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total		
Madras													
Ambur	44	26	30.7	1	..	2	..	7	8.3	2
Aruppukottai†
Bodinayakanur	40	19	24.7	3	..	7	9.1	..
Cannanore	47	17	18.8	2	..	4	..	15	16.6	1
Chidambaram	39	30	40.0	2	..	8	10.7	..
Coimbatore	234	264	58.7	3	7	11	3	51	11.3	18
Cuddalore	74	57	40.1	1	2	2	23	16.2	3
Dindigul	90	36	20.8	1	1	..	14	8.1	2
Erode	67	76	59.0	1	..	1	..	14	10.9	2
Gobichetty Palayan	38	33	45.2	2	19	26.0	2
Guddiyattam	53	38	37.3	1	1	2	..	7	6.9	1
Kancheepuram	90	72	41.6	3	13	1	26	15.9	7
Karaikudi	44	36	42.5	1	6	7.1	..
Karur	50	25	26.0	2	1	1	..	14	14.6	2
Kozhikode	176	162	47.9	1	3	6	..	57	16.8	18
Kumbakonam	105	85	42.1	2	..	17	8.4	3
Madras	1,703	1,358	41.5	..	1	..	73	88	137	4	593	18.1	194
Mangalore	136	103	39.4	3	..	25	9.6	7
Mathurai†	1	13	13.8	4
Mayuram	49	70	74.3	6	7.6	1
Malapalayam	41	18	22.8	2	1	..	13	13.8	4
Nagapattinam	60	41	35.5	2	1	1	10	8.7	3
Ootacamund	48	60	65.0	2	2	11	11.9	2
Palani	40	23	30.0	1	3	1	8	10.4	1
Palayamkottai	45	44	50.8	2	1	..	1	16	18.5	1
Palghat	77	44	29.7	3	2	3	..	25	16.9	5
Periyakulam	34	24	36.7	4	1	..	8	12.2	1
Pollachi	51	46	46.9	3	6	1	17	17.3	1
Pudukottai	50	44	45.8	..	2	1	3	1	25	26.0	6
Rajapalayam	69	23	17.3	1	3	3	..	19	14.3	5
Salem†
Srirangam	42	23	28.5	1	1	2	..	10	12.4	1
Srivilliputtur	44	30	35.5	1	1	..	10	11.8	2
Tanjore	118	61	26.9	1	..	1	..	11	4.8	1
Tellicherry	42	27	33.4	1	5	..	16	19.8	4
Tirunannamalai	45	32	37.0	..	2	—	..	1	1	..	16	18.5	6
Tirunelveli	80	47	30.6	2	4	..	16	10.4	7
Tiruppur	63	64	52.8	3	..	13	10.7	2
Tiruchirapalli	251	175	36.3	1	2	5	..	36	9.1	5
Tuticorin	111	76	35.6	1	7	1	32	15.0	12
Vaniyambadi	43	28	33.9	1	2	..	7	8.5	1
Vellore	124	103	43.2	3	3	11	..	53	22.2	16
Villupuram	39	30	40.0	2	1	3	..	21	28.0	5
Virudunagar	53	36	35.3	3	1	1	9	8.8	..
TOTAL	4,649	3,606	40.3	—	5	..	103	143	257	18	1,319	14.8	354
Orissa													
Berhampur	72	55	39.8	..	—	..	3	3	2	..	15	10.9	3
Cuttack	117	137	61.1	7	3	4	..	38	16.8	6
Puri	53	37	36.4	7	5	1	..	27	26.6	8
TOTAL	242	229	49.2	17	11	7	..	80	17.2	17

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..=Nil Information. "N.R."=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 23rd June, 1956—*contd.*

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	C.	Deaths from —							Total	D.R.*	I.D.
					S.	P.	F.	D.D.	R.D.	M.D.				
Punjab (I)														
Ambala	65	61	49.1	8	4	2	..	24	19.3	4	
Amritsar	343	162	24.7	2	3	30	..	77	11.7	22	
Batala	62	27	22.8	12	..	4	..	16	13.5	7	
Bhiwani	57	12	20	18.3	4	
Ferozepore	45	26	30.2	1	5	2	..	15	17.4	4	
Hissar	39	31	41.6	5	..	5	..	13	17.4	3	
Hoshiarpur	51	21	21.5	1	..	7	..	23	23.6	3	
Jullundur	200	107	28.0	19	2	11	1	39	10.2	6	
Karnal	72	27	19.6	5	1	..	2	11	8.0	3	
Ludhiana	176	114	33.9	18	..	1	..	32	9.5	13	
Moga	41	30	38.3	3	4	5.1	1	
Panipat	64	30	24.5	10	3	1	..	20	16.3	6	
Pathankot	34	16	24.6	1	..	1	..	4	6.2	1	
Rewari†	105	29	14.4	18	..	1	..	21	10.4	7	
Rohtak	
Simla	50	34	35.6	4	4.2	3	
Sonepat	34	16	24.6	10	..	1	..	12	18.5	4	
TOTAL	1,438	731	26.4	125	18	66	3	335	12.1	91	
Uttar Pradesh														
Agra	375	226	31.5	2	4	37	..	80	11.1	26	
Allahabad	349	139	20.8	7	1	45	1	80	12.0	23	
Amroha	61	55	47.1	3	1	7	..	21	18.0	9	
Bahraich	47	21	23.4	4	1	2	..	9	10.0	2	
Banaras	383	242	33.0	..	3	..	43	11	15	..	170	23.2	34	
Ballia	35	8	11.9	1	2	6	9.0	1	
Banda	32	19	31.0	1	6	9.8	2	
Bareilly	203	71	18.3	10	4	10	..	30	7.7	10	
Bijnor†	
Budaun	54	21	20.3	4	..	2	..	18	17.4	4	
Basti †	
Bulandshahr†	
Chandausi	41	28	35.5	17	3	5	1	30	38.0	16	
Dehra Dun.	146	32	11.4	3	..	3	..	18	6.4	1	
Etawah†	
Faizabad-Ayodhya†	
Farrukhabad-Fatehgarh	82	32	20.4	8	2	7	..	19	12.1	5	
Ferozabad	79	31	20.5	9	..	2	..	18	11.9	6	
Ghaziabad	46	24	27.3	10	1	11	12.5	6	
Gazipur	36	36	52.0	4	2	1	..	13	18.9	2	
Gorakhpur	140	65	24.3	7	12	6	..	36	13.4	6	
Gonda	35	10	14.9	4	4	9	13.4	2	
Hapur	49	30	32.0	9	2	5	..	21	22.4	8	
Hardwar	64	28	22.9	18	3	3	..	42	34.3	12	
Hathras	62	37	31.2	22	5	6	1	42	35.4	17	
Jaunpur	56	20	18.7	..	1	..	3	..	2	..	10	9.3	1	
Jhansi	116	83	37.4	..	1	..	16	1	1	..	32	14.4	9	
Kanpur	734	344	24.5	110	16	40	5	294	20.9	93	
Kasganj	34	11	16.9	5	5	7.7	..	
Khurja	41	24	30.4	4	..	8	..	21	26.6	6	
Koil-Aligarh	150	45	15.7	22	5	4	..	37	12.9	15	
Lucknow	494	283	30.9	25	6	21	..	99	10.5	37	
Mathura	110	81	38.5	22	4	3	..	44	20.9	10	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Small Pox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoeas ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 23rd June, 1956—*contd.*

Town	Mid-year Popn.—Est. (000)	Deaths from:—											Total	D.R.*	I.D.
		B.	B. R.*	C	S.	P.	F.	D.D.	R.D.	M.D.					
Uttar Pradesh—contd.															
Mau-Nath Bhanjan†															
Meerut	185	100	28.3	10	2	7	..	29	8.2	7		
Mirzapur Vindhyachal	97	49	26.4	12	1	3	..	23	12.4	8		
Moradabad	164	85	27.1	3	2	13	..	35	11.1	14		
Muzaffarnagar	74	30	21.2	..	2	..	5	..	1	..	12	8.5	4		
Pilibhit	45	24	27.9	13	5	23	26.7	15		
Rampur†															
Saharanpur	162	119	39.1	40	2	2	..	50	16.1	20		
Sambhal	65	44	35.4	14	5	3	..	33	26.5	7		
Shahjahanpur	99	74	30.4	25	5	3	1	46	28.9	14		
Sitapur	49	16	16.7	5	6	6.4	4		
TOTAL	4,994	2,587	26.9	..	7	..	520	112	267	9	1,478	15.4	456		
West Bengal															
Asansol†															
Baidyabati	33	13	20.6	1	3	4.8	1		
Bally	66	5	4.0	2	5	4.0	..		
Bankura†															
Bensberia†															
Baranagar	90	37	21.5	1	1	2	3	1	12	7.0	4		
Basirhat†															
Berhampur	64	36	29.4	1	..	3	..	8	6.5	3		
Bhadreswar	34	7	10.8	1	1	1	1.5	..		
Bhatpara	143	13	4.8	7	..	4	..	18	6.6	10		
Budge Budge †															
Bardwan†															
Calcutta	2,984	1,185	20.8	36	11	..	27	37	110	5	529	9.3	141		
Champdani	41	18	23.0	1	4	5.1	..		
Cooch Behar†															
Darjeeling†															
English Bazar	36	14	20.3	2	2.9	..		
Garden Reach	124	18	7.6	2	5	2	1	..	14	5.9	2		
Halisahar	41	5	6.4	1	1.3	..		
Hooghly-Chinsurah . . .	60	60	52.0	1	4	2	2	..	20	17.4	4		
Howrah	477	178	19.5	9	3	..	6	12	30	..	112	12.3	29		
Jalpaiguri	49	10	10.7	1	..	3	3.2	..		
Kamarhati†															
Kanchrapara†															
Krishnagar	56	2	1.9	1	0.9	..		
Midnapore	45	19	22.0	3	2	1	..	16	18.6	..		
Nabadwip †															
Naihati	62	3	2.5	1	..	2	..	5	4.2	..		
North-Barrackpore . . .	36	2	2.9		
Panihati	65	2	1.6	1	0.8	..		
Santipur	49	17	18.1	2	2.1	..		
Serampore	83	49	30.9	5	15	9.4	5		
Siliguri	44	18	21.4	1	1	1.2	..		
South Dum Dum†															
South Suburban	124	26	11.0	1	5	2	..	14	5.9	4		
Titagarh†															
TOTAL	4,806	1,737	18.8	51	14	..	58	68	159	7	787	8.5	203		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B. = Births ; B.R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total deaths) ; .. = Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 23rd June, 1956—*contd.*

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
West Bengal—contd.														
Hyderabad				STATES—(Part B)										
Aurangabad . . .	73	10	7.1	1	..	3	2.1	..	
Bidar . . .	37	2	2	2.8	..	
Gulberga . . .	90	3	3.8	3	..	2	..	5	2.9	..	
Hyderabad City . .	1,058	666	32.7	..	2	..	15	5	6	..	109	5.4	10	
Jalna †	
Kothagudiam . . .	71	33	25.1	2	1.5	..	
Latur†	
Nanded . . .	80	25	16.3	1	..	3	..	4	2.6	..	
Nizambad . . .	67	14	10.9	1	..	2	1	8	6.2	4	
Parbhani . . .	40	5	6.5	2	3	3.9	1	
Raichur†	
Secundrabad City .	162	136	43.6	..	1	..	3	1	6	..	33	10.6	6	
Warangal†	
TOTAL . . .	1,678	892	27.6	..	3	..	27	6	20	1	169	5.2	21	
Jammu & Kashmir				"N.R."										
Madhya Bharat				"N.R."										
Mysore														
Chitaldrug . . .	31	2	3.4	1	1	1.7	..	
Bhadravati . . .	55	8	7.6	2	1.9	..	
Bangalore . . .	977	684	36.4	9	47	88	..	236	12.6	..	
Mysore . . .	294	180	31.8	15	7	4	..	57	10.1	..	
Kolar Gold Field .	173	30	9.0	2	5	1.5	..	
Bellary . . .	78	24	16.0	2	3	2	..	28	18.7	..	
Davanagere . . .	69	34	25.6	1	6	4.5	..	
Hospet . . .	45	14	16.2	2	5	5.8	..	
Shimoga . . .	57	37	33.8	8	..	1	..	10	9.1	..	
TOTAL . . .	1,779	1013	29.6	36	60	95	1	350	10.2	..	
PEPSU														
Patiala City . . .	111	88	41.2	26	..	2	1	44	20.6	17	
Malerkota . . .	34	25	38.2	3	4	6.1	..	
Bhatinda . . .	39	26	34.7	1	..	2	2.7	1	
TOTAL . . .	184	139	39.3	29	..	3	1	50	14.1	18	
Rajasthan														
Alwar †	
Bharatpur†	
Bikaner . . .	117	40	17.8	2	2	5	..	20	8.9	2	
Churu . . .	48	3	3.2	1	1.1	..	
Ganganagar . . .	47	1	1.1	..	1	..	9	12	13.2	189	
Tonk . . .	45	8	9.2	1	..	3	..	4	4.6	..	
Kotah†	
Sikar†	
Jaipur . . .	353	40	5.7	19	3	13	..	64	9.4	21	
Udaipur†	
Jodhpur†	
TOTAL . . .	610	92	7.8	..	1	..	31	5	21	..	101	8.6	212	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.=Births ; B. R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D. D.=Dysentery and Diarrhoea ; R. D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil Information ; "N. R."=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 23rd June, 1956—*contd.*

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	Deaths from :—							Total	D.R*. I.D.	
					S.	P.	F.	D.D.	R.D.	M.D.				
Travancore-Cochin														
Alleppey	148	34	11.9	—	3	..	2	..	28	9.8	4	
Changanacherry	41	20	25.4	2	7	8.9	2	
Ernakulam	70	64	47.5	2	2	..	11	8.2	2	
Kottayam	50	23	23.9	1	..	6	6.2	..	
Mattanchery	85	42	25.7	2	1	1	..	12	7.3	2	
Nagercoil	94	39	21.6	1	1	2	..	18	10.0	3	
Quilon	75	73	50.6	1	1	1	..	24	16.6	2	
Trichur	76	62	42.4	1	1	..	12	8.2	1	
Trivandrum City	218	322	77.0	5	4	6	—	35	8.4	1	
TOTAL	857	680	41.3	14	10	15	..	153	9.3	17	

Saurashtra															
Bhavnagar	.	.	157	36	11.9	8	5	3	..	40	13.2	14
Dhoraji	.	.	47	28	30.1	6	16	17.7	..
Gondal	.	.	41	21	26.6	3	1	7	8.9	..
Jamnagar	.	.	122	14	6.0				11	3	1	1	20	8.5	8
Junagadh	.	.	65	46	36.8	7	3	1	..	17	13.6	5
Morvi	.	.	43	11	13.3	4	..	2	..	6	7.3	2
Porbandar	.	.	64	35	28.4	14	2	1	..	24	19.5	11
Rajkot	.	.	167	58	18.1	15	7	5	..	40	12.4	13
Surendranagar†															
Veraval	.	.	46	8	9.0	8	2	11	12.4	3
TOTAL	.		752	257	17.8	—	76	23	13	1	181	12.5	56

ARREAR RETURNS

Madhya Pradesh					For w/e 18-2-56										
Wardha	.	.	46	21	23.7	6	1	2	..	16	18.1	..
Hinganghat	.	.	35	9	13.4	1	1	2	..	8	11.9	..
Chanda	.	.	43	26	31.4	4	1	12	14.5	..
For w/e 25-2-56															
Wardha	.	.	46	26	29.4	4	1	3	..	13	14.7	..
Hinganghat	.	.	35	11	16.3	2	..	1	..	12	17.8	..
Chanda	.	.	43	30	36.3	3	1	.	..	12	14.5	..
For w/e 3-3-56															
Wardha	.	.	46	13	14.7	2	1	4	.	17	19.2	..
Hinganghat	.	.	35	10	14.8	3	3	1	..	10	14.8	..
Chanda	.	.	43	25	30.2	4	1	1	..	12	14.8	..
For w/e 26-5-56															
Raigarh	.	.	35	16	23.8	10	15	22.3	..
For w/e 9-6-56															
Khandwa	.	.	59	21	18.5	2	..	1	..	5	4.4	..
Burhanpur	.	.	79	49	32.3	6	..	1	..	13	8.6	..
For w/e 16-6-56															
Nagpur	.	.	528	160	15.7	..	7	..	23	4	7	3	83	8.2	..
Kamptee	.	.	36	18	26.3	7	8	11.6	..
Sagar	.	.	75	18	12.5	7	16	11.1	..

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fevers; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 23rd June, 1956—concl'd.

Deaths from :—

Town	Mld-year Popn-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Bombay		<i>For w/e 2-6-56</i>											
Broach . . .	67	55	42.7	1	..	6	..	14	10.9	1
Kalyan . . .	73	47	33.4	5	1	5	..	16	11.4	4
Malegaon . . .	63	65	53.6	8	..	1	..	11	9.1	5
		<i>For w/e 9-6-56</i>											
Malegaon . . .	63	47	38.8	5	..	1	..	6	5.0	1
		<i>For w/e 16-6-56</i>											
Broach . . .	67	67	52.0	4	..	3	..	19	14.7	9
Assam		<i>For w/e 16-6-56</i>											
Gauhati . . .	51	5	5.8	..	[3	..	4	12	12.2	..
Silchar . . .	43	2	2.4	8	1	1	..	13	15.7	..
		<i>For w/e 9-6-56</i>											
Gauhati . . .	51	6	6.1	5	8	8.2	11
PEPSU		<i>For w/e 16-6-56</i>											
Patiala City . . .	111	76	35.6	25	..	2	..	45	21.7	13
Delhi State		<i>For w/e 26-5-56</i>											
Delhi . . .	1,124	508	23.5	56	5	15	..	119	5.5	41
New Delhi . . .	374	168	23.3	7	6	1	130	18.1	29
N.A.C. Civil Station, Delhi	117	72	32.0	..	3	..	2	1	4	1	19	8.4	8
Delhi Cantt . . .	50	19	19.8	2	..	2	2.1	..
Delhi-Shahdara . . .	53	40	39.2	3	..	1	..	7	6.9	..
TOTAL	1,718	807	24.4	..	3	..	61	13	28	2	227	8.4	79

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimate may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used : —B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); .. = Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 23rd June, 1956, relate to 234 towns with an estimated population of 33,785 thousands. The total number of towns is 317 and their population is 41,516 thousands. Thus 74% of the total number of towns representing 81% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 18,580 and 7,704 representing birth and death rates of 28.6 and 11.9 per thousand of population respectively.

(a) *States (Part A and C)*:—The data here relate to 190 towns with an estimated population of 27,925 thousands. Information about Bihar, & Assam, could not be included. The total number of towns is 252 and their population is 33,432 thousands. Thus 75% of the total number of towns representing 84% of the total population is covered. The number of births and

deaths recorded in these towns were 15,507 and 6,700 representing birth rates and death rates of 28.9 and 12.5 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) *States (Part B)*:—The data here relate to 44 towns with an estimated population of 5,860 thousands. The total number of towns is 65 and their population is 8,084 thousands. Thus 68% of the total number of towns representing 72% of the total population is covered. The number of births and deaths recorded in these towns were 3,073 and 1,004 representing birth and death rates of 27.3 and 8.9 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 23-6-56		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Ajmer . . .	18.8	5.3	†	†	26.9	10.7
Andhra . . .	31.7	15.2	36.0	17.0	†	†
Bombay . . .	30.2	11.7	28.3	11.7	29.2	13.3
Delhi . . .	26.4	12.3	26.4	10.1	30.3	12.4
Madhya Pradesh .	24.6	10.6	22.4	9.9	24.6	12.3
Madras . . .	40.3	14.8	42.3	20.5	†	†
Orissa . . .	49.2	17.2	48.4	17.8	39.1	18.
Punjab (I) . . .	26.4	12.1	28.7	12.5	28.7	12.3
Uttar Pradesh . .	26.9	15.4	28.2	17.2	26.8	17.4
West Bengal . . .	18.8	8.5	18.3	11.8	17.9	12.
India* . . .	28.9	12.5	29.2	14.4	29.3	15.4

* 8 Part "A" States and 2 Part "C" States.

† Figures not available.

NEW DELHI-2 (INDIA) ; }
The 16th July 1956.

K. MITRA,
for Registrar General, India.